

























- esophageal perforations. *Turkish J Med Sci* 43:939945.
- Singh G, Singh V, Wang ZX, Voisin G, Lefebvre F, Navenot JM, Evans B, Verma M, Anderson DW, Schneider JS, 2018. Effects of developmental lead exposure on the hippocampal methylation: influences of sex and timing and level of exposure. *Toxicol Lett* 290:63–72.
- Singh PK, Nandi S, Ghafoor KZ, Ghosh U, Rawat DB, 2021. Preventing COVID-19 spread using information and communication technology. *IEEE Consum Electron Mag* 10:18–27.
- Sinnenberg L, Buttenheim AM, Padrez K, Mancheno C, Ungar L, Merchant RM, 2017. Twitter as a tool for health research: a systematic review. *Am J Public Health* 107:e1–8.
- Sloan L, Morgan J, 2015. Who tweets with their location? understanding the relationship between demographic characteristics and the use of geoservices and geotagging on Twitter. *PLoS One* 10:e0142209.
- Smith AC, Thomas E, Snoswell CL, Haydon H, Mehrotra A, Clemensen J, Caffery LJ, 2020. Telehealth for global emergencies: implications for coronavirus disease 2019 (COVID-19). *J Telemed Telecare* 26:309–13.
- Thomala L, 2023. China: most popular social media platforms 2022. Statista Inc. Retrieved February 19, 2024. Available from: <https://www.statista.com/statistics/250546/leading-social-network-sites-in-china/>
- Tompkins AM, McCreesh N, 2016. Migration statistics relevant for malaria transmission in Senegal derived from mobile phone data and used in an agent-based migration model. *Geospatial Health* 11:408
- Trajer A, 2021. *Aedes Aegypti* in the mediterranean container ports at the time of climate change: a time bomb on the mosquito vector map of Europe. *Heliyon* 7:e07981.
- Wallace E, 2023. Lead exposure risk in your neighborhood. PolicyMap. Retrieved May 25, 2023. Available from: <https://www.policymap.com/blog/lead-exposure-risk-in-your-neighborhood>
- WHO, World Health Organization, 2021. Contact tracing in the context of COVID-19. WHO guidelines: contact tracing in the context of COVID-19 2019 (May, 10):1–7.
- WHO, World Health Organization, 2022. Lead poisoning fact sheet. 4:230. Available from: <https://www.who.int/news-room/fact-sheets/detail/lead-poisoning-and-health#:~:text=At high levels of exposure,intellectual disability and behavioural disorders>
- Wu L, Zhi Y, Sui Z, Liu Y, 2014. Intra-urban human mobility and activity transition: evidence from social media check-in data. *PLoS One* 9:e97010.
- Xu P, Dredze M, Broniatowski DA, 2020. The twitter social mobility index: measuring social distancing practices with geolocated tweets. *J Med Internet Res* 22:e21499.
- Yasobant S, Vora KS, Hughes C, Upadhyay A, Mavalankar DV, 2015. Geovisualization: A New GIS Technology for Implementation Research in Health. *J Geogr Inf Syst* 07:20–28.
- Ye X, Li S, Yang X, Qin C, 2016. Use of social media for the detection and analysis of infectious diseases in China. *ISPRS Int J Geoinf* 5:156.
- Yousefinaghani S, Durr R, Poljak Z, Bernardo TM, Sharif S, 2019. The assessment of Twitter's potential for outbreak detection: avian influenza case study. *Sci Rep* 9:18147.
- Zachlod C, Samuel O, Ochsner A, Werthmüller S, 2022. Analytics of social media data – state of characteristics and application. *J Bus Res* 144:1064–76.
- Zohar M, 2021. Geolocating Tweets via spatial inspection of information inferred from Tweet Meta-Fields. *Int J Appl Earth Obs Geoinf* 105:102593.

Non-commercial use only