























- Singleton J, Sleet DA, Sliwa K, Smith E, Smith JL, Stapelberg NJ, Steer A, Steiner T, Stolk WA, Stovner LJ, Sudfeld C, Syed S, Tamburlini G, Tavakkoli M, Taylor HR, Taylor JA, Taylor WJ, Thomas B, Thomson WM, Thurston GD, Tleyeh IM, Tonelli M, Towbin JA, Truelsen T, Tsilimbaris MK, Ubeda C, Undurraga EA, van der Werf MJ, van Os J, Vavilala MS, Venketasubramanian N, Wang M, Wang W, Watt K, Weatherall DJ, Weinstock MA, Weintraub R, Weisskopf MG, Weissman MM, White RA, Whiteford H, Wiebe N, Wiersma ST, Wilkinson JD, Williams HC, Williams SR, Witt E, Wolfe F, Woolf AD, Wulf S, Yeh PH, Zaidi AK, Zheng ZJ, Zonies D, Lopez AD, AlMazroa MA, Memish ZA, 2012. Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the global burden of disease study 2010. *Lancet* 380:2197-223.
- Odiere MR, Rawago FO, Ombok M, Secor WE, Karanja DM, Mwinzi PN, Lammie PJ, Won K, 2012. High prevalence of schistosomiasis in Mbita and its adjacent islands of Lake Victoria, western Kenya. *Parasite Vector* 5:278.
- Ouattara M, Silué KD, N'Guessan AN, Yapi A, Matthys B, Raso G, Utzinger J, N'Goran EK, 2008. Prévalences et polyparasitisme des protozoaires intestinaux et répartition spatiale d'*Entamoeba histolytica*/*Entamoeba dispar* et *Giardia intestinalis* chez des élèves en zone rurale de la région de Man en Côte d'Ivoire. *Cahiers Santé* 8:215-22.
- Plummer M, Best N, Cowles K, Vines K, 2006. CODA: convergence diagnosis and output analysis for MCMC. Available from: <http://oro.open.ac.uk/22547/>.
- Raso G, Matthys B, N'Goran EK, Tanner M, Vounatsou P, Utzinger J, 2005. Spatial risk prediction and mapping of *Schistosoma mansoni* infections among schoolchildren living in western Côte d'Ivoire. *Parasitology* 131:97-108.
- Raso G, Vounatsou P, Singer BH, N'Goran EK, Tanner M, Utzinger J, 2006. An integrated approach for risk profiling and spatial prediction of *Schistosoma mansoni*-hookworm coinfection. *P Natl Acad Sci USA* 103:6934-9.
- Ratard RC, Koueméni LE, Bessala MME, Ndamkou CN, Greer EL, Spilbury J, Cline BL, 1990. Human schistosomiasis in Cameroon. 1. Distribution of schistosomiasis. *Am J Trop Med Hyg* 42:561-72.
- Rollinson D, Knopp S, Levitz S, Stothard JR, Tchuenté J, Hérenté LA, Garba A, Mohammed KA, Schur N, Person B, Colley DG, Utzinger J, 2013. Time to set the agenda for schistosomiasis elimination. *Acta Trop* 128:423-40.
- Roux J-F, Sellin B, Picq J-J, 1980. Étude épidémiologique sur les hépatosplénomégalies en zone d'endémie bilharzienne à *Schistosoma mansoni*. *Med Trop* 40:45-51.
- Rubaihayo J, Moghuse E, Clouds P, Abaasa A, 2008. Schistosomiasis transmission at high altitude crater lakes in western Uganda. *BMC Infect Dis* 8:110.
- Rudge JW, Stothard JR, Basáñez MG, Mgeni AF, Khamis IS, Khamis AN, Rollinson D, 2008. Micro-epidemiology of urinary schistosomiasis in Zanzibar: local risk factors associated with distribution of infections among schoolchildren and relevance for control. *Acta Trop* 105:45-54.
- Scheipl F, Fahrmeir L, Kneib T, 2012. Spike-and-slab priors for function selection in structured additive regression models. *J Am Stat Assoc* 107:1518-32.
- Scholte RGC, Gosoni L, Malone JB, Chammartin F, Utzinger J, Vounatsou P, 2014. Predictive risk mapping of schistosomiasis in Brazil using Bayesian geostatistical models. *Acta Trop* 132:57-63.
- Schur N, Hürlimann E, Stensgaard AS, Chimfwembe K, Mushingi G, Simoonga C, Kabatereine NB, Kristensen TK, Utzinger J, Vounatsou P, 2013. Spatially explicit *Schistosoma* infection risk in eastern Africa using Bayesian geostatistical modelling. *Acta Trop* 128:365-77.
- Shiff CJ, Husting EL, 1966. An application of the concept of intrinsic rate of natural increase to studies on the ecology of freshwater snails of the genera *Biomphalaria* and *Bulinus* (Physopsis) in southern Africa. *Proc Trans Rhodesian Sci Assoc* 51:1-8.
- Silué KD, Raso G, Yapi A, Vounatsou P, Tanner M, N'Goran EK, Utzinger J, 2008. Spatially-explicit risk profiling of *Plasmodium falciparum* infections at a small scale: a geostatistical modelling approach. *Malaria J* 7:111.
- Speich B, Ali SM, Ame SM, Albonico M, Utzinger J, Keiser J, 2015. Quality control in the diagnosis of *Trichuris trichiura* and *Ascaris lumbricoides* using the Kato-Katz technique: experience from three randomised controlled trials. *Parasite Vector* 8:82.
- Stensgaard A, Jørgensen A, Kabatereine NB, Malone JB, Kristensen TK, 2005. Modeling the distribution of *Schistosoma mansoni* and host snails in Uganda using satellite sensor data and geographical information systems. *Parassitologia* 47:115-25.
- Tian-Bi YNT, Jarne P, Konan JN, Utzinger J, N'Goran EK, 2013. Contrasting the distribution of phenotypic and molecular variation in the freshwater snail *Biomphalaria pfeifferi*, the intermediate host of *Schistosoma mansoni*. *Heredity* 110:466-71.
- Utzinger J, Booth M, N'Goran EK, Müller I, Tanner M, Lengeler C, 2001. Relative contribution of day-to-day and intra-specimen variation in faecal egg counts of *Schistosoma mansoni* before and after treatment with praziquantel. *Parasitology* 122:537-44.
- Utzinger J, Mwachana C, Mez K, Tanner M, 1997. Evaluation of chemical and physical-morphological factors as potential determinants of *Biomphalaria pfeifferi* (Krauss, 1848) distribution. *Mem I Oswaldo Cruz* 92:323-8.
- Utzinger J, N'Goran EK, Caffrey CR, Keiser J, 2011. From innovation to application: social-ecological context, diagnostics, drugs and integrated control of schistosomiasis. *Acta Trop* 120(Suppl.1):S121-37.
- Utzinger J, N'Goran EK, Ossey YA, Booth M, Traoré M, Lohourignon KL, Allangba A, Ahiba LA, Tanner M, Lengeler C, 2000. Rapid screening for *Schistosoma mansoni* in western Côte d'Ivoire using a simple school questionnaire. *Bull World Health Organ* 78:389-98.
- WHO, 2002. Prevention and control of schistosomiasis and soil-transmitted helminthiasis: report of a WHO expert committee. *WHO Tech Rep Ser* 912:1-57.
- Woolhouse ME, Chandiwana SK, 1990. Population dynamics model for *Bulinus globosus*, intermediate host for *Schistosoma haematobium*, in river habitats. *Acta Trop* 47:151-60.
- Xue Z, Gebremichael M, Ahmad R, Weldu ML, Bagtzoglou AC, 2011. Impact of temperature and precipitation on propagation of intestinal schistosomiasis in an irrigated region in Ethiopia: suitability of satellite datasets. *Trop Med Int Health* 16:1104-11.
- Yapi YG, Coulibaly D, Traoré DF, Tia E, Boby OA-M, Boka OM, Touré M, Kadio KA, 2014a. Etude préliminaire de l'efficacité du citron vert (*Citrus aurantifolia*, Rutaceae) dans la lutte contre la nuisance simuliennienne à Petit-Garango et Allangba-Konankro, villages riverains de la Marahoué, dans la commune de Bouaflé, Côte d'Ivoire. Available from: <http://eujournal.org/index.php/esj/article/view/3450>.
- Yapi YG, Touré M, Boka MO, Tia E, Boby MAO, 2014b. Dynamique de transmission des schistosomes par *Biomphalaria pfeifferi* dans la région de Man, côte d'Ivoire. *Bull Soc Pathol Exot* 107:317-22.
- Yapi YG, Touré M, Boka OM, Tia E, Boby MAO, Kadio KA, 2014c. Dynamique des populations de *Biomphalaria pfeifferi* et de *Bulinus globosus* en zone d'endémie schistosomienne en Côte d'Ivoire. Available from: <http://eujournal.org/index.php/esj/article/view/3567>.